European Journal of Biochemistry

Volume 212 1993

Honorary Chairman Frederick Sanger, Cambridge

Editorial Board
August Böck (München)
Philipp Christen (Zürich) Chairman
Michael J. Clemens (London)
Hugo Fasold (Frankfurt)
Jean Girard (Paris)
Cornelis W. Hilbers (Nijmegen)
Eberhard Hofmann (Leipzig) Reviews Editor
Hans Jörnvall (Stockholm)
Claude Liébecq (Liège) Honorary Member
David G. Nicholls (Dundee)
Gösta Pettersson (Lund)
Johannes F.G. Vliegenthart (Utrecht)

Advisory Board
E. Appella (Bethesda)
P. Argos (Heidelberg)
R. Arnon (Rehovot)
F.X. Avilés (Barcelona)
S. Avrameas (Paris)
B.E.C. Banks (London)
A. Bax (Bethesda)
H. Betz (Frankfurt)
T.A. Bickle (Basel)
A. Billiau (Leuven)
M.D. Brand (Cambridge)
R.L.C. Brimacombe (Berlin)
M. Chabre (Valbonne)
K.J. Clemetson (Bern)
A.J. Cornish-Bowden (Marseille)
C. Crane-Robinson (Portsmouth)
R.R. Crichton (Louvain-la-Neuve)
M. Crompton (London)
B. Dobberstein (Heidelberg)
H. Durchschlag (Regensburg)
J. Duszynski (Warszawa)
T. Feizi (Harrow)
J. Filipski (Paris)
A. Finazzi-Agrò (Roma)
F. Franěk (Praha)
H. Frauenfelder (Urbana)
D. Gallwitz (Göttingen)
S. Ghisla (Konstanz)
F.M. Goñi (Bilbao)
L.A. Grivell (Amsterdam)
H. Grosjean (Gif-sur-Yvette)
F. Hucho (Berlin)
R.C. Hughes (London)
M. Jacob (Strasbourg)
K.H. Jakobs (Essen)
P. Jollès (Paris)
A. Kahn (Paris)
J.E. Kay (Brighton)
M. Klingenberg (München)
J.P. Klinmann (Berkeley)
W.N. Konings (Haren)
G. Kreil (Salzburg)
C.J. Leaver (Oxford)
L. Lehle (Regensburg)
J.-M. Lhoste (Orsay)
G.P. Mannaerts (Leuven)
W.J. Möller (Leiden)
Y. Nagai (Tokyo)
Y. Nishizuka (Kobe)
P.J. Parker (London)
D.J. Patel (New York)
L.A. Pinna (Padova)
T.A. Rapoport (Berlin)
L. Rask (Uppsala)
J. Rétey (Karlsruhe)
P.R. Rich (Bodmin)
J.F. Riordan (Boston)
H. Rüterjans (Frankfurt)
P.R. Schimmel (Cambridge)
M.C. Scrutton (London)
V.P. Skulachev (Moscow)
K. Soda (Kyoto)
D.G. Söll (New Haven)
J.M. Tager (Bari)
R.K. Thauer (Marburg)
R. Timpl (Martinsried)
I.P. Trayer (Birmingham)
V. Ullrich (Konstanz)
J. Vandekerckhove (Gent)
C. Veeger (Wageningen)
P. Venetianer (Szeged)
A. Verbert (Villeneuve-d'Ascq)
S.G. Wilkinson (Hull)
R.J.P. Williams (Oxford)
K.W.A. Wirtz (Utrecht)

Editorial Office J. Maillou, L. Rowett, B. Whyte, S.A. Brooks, N. Bulgheroni, J. Piket Stähelin, M.E. Vetterli
Apollostrasse 2, Postfach, CH-8032 Zürich, Switzerland

Production Office S. Förster, G. Schanno, B. Gärtner
Springer-Verlag, Tiergartenstrasse 17, Postfach 105280, W-6900 Heidelberg, Germany

FEBS

Published by Springer International on behalf of the Federation of European Biochemical Societies

The exclusive copyright for all languages and countries, including the rights for photographic reproduction, electronic data base, video disks, or any other reproduction of text, figures, or tables from this journal, also in microform, is vested in the Federation of European Biochemical Societies.

The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be interpreted that such names are exempt from the relevant protective laws and regulations and may accordingly be used freely by anyone.

Individuals may reproduce material published in this journal when writing a review or book as long as they make proper acknowledgement to the origin of the material and obtain the author(s)' permission if this condition applies.

Springer Verlag Berlin Heidelberg New York

Printers: Wiesbadener Graphische Betriebe GmbH, Wiesbaden

Printed in Germany

Copyright © by the Federation of European Biochemical Societies 1993.

Volume 212 1993

Table of contents

No. 1 1–272 issued on February 15, 1993
No. 2 273–612 issued on March 1, 1993
No. 3 613–848 issued on March 15, 1993

Corrections 839–840

Information for authors 841–847

Contents of Volume 212 I–X

Reviews

RNA polymerase III – Genes, factors and transcriptional specificity
I. M. Willis 1–11

Regulation of vertebrate homeobox-containing genes by morphogens
F. Mavilio 273–288

The glutamatergic nerve terminal
D. G. Nicholls 613–631

Priority paper

Taking enzyme kinetics out of control; putting control into regulation
J.-H. S. Hofmeyr, A. Cornish-Bowden and J. M. Rohwer 833–837

Nucleic acids, protein synthesis and molecular genetics

In vivo biological activity of retinoids partially correlates to their affinity to recombinant retinoic-acid receptor α and recombinant-cellular retinoic-acid-binding protein I
S. Keidel, M. Szardenings and W. H. Mueller 13–26

Isolation of a ripening and wound-induced cDNA from *Cucumis melo* L. encoding a protein with homology to the ethylene-forming enzyme
C. Balagué, C. F. Watson, A. J. Turner, P. Rouge, S. Picton, J.-C. Pech and D. Grierson 27–34

An upstream region of the rat spermatogenesis-specific heat-shock-like Hst70 gene confers testis-specific expression in transgenic mice
J. Wisniewski, M. Malezewski, Z. Krawczyk and L. Gedamu 137–143

Identification of a nuclear protein that constitutively recognizes the sequence containing a heat-shock element – Its binding properties and possible function modulating heat-shock induction of the rat heme oxygenase gene
S. Okinaga and S. Shibahara 167–175

Cloning of the fourth functional gene for Protein Phosphatase 1 in *Drosophila melanogaster* from its chromosomal location
V. Dombrádi, D. J. Mann, R. D. C. Saunders and P. T. W. Cohen 177–183

Alternative pre-rRNA processing pathways in human cells and their alteration by cycloheximide inhibition of protein synthesis
K. V. Hadjiolova, M. Nicoloso, S. Mazan, A. A. Hadjiolov and J.-P. Bachellerie 211–215

Retraction concerning the E2 protein of human papillovirus type 16: Overexpression and purification of an active transcriptional regulator [Lees, M. E., Dreissen, H. P. C., Crawford, L. V. & Clarke, A. R. (1990) *Eur. J. Biochem. 190*, 85–92.] – Expression of the human papillovirus type 16 E2 protein in *Escherichia coli*
E. M. Lees, H. P. C. Dreissen, L. V. Crawford and A. R. Clarke 271

Four recombinant isoforms of *Cor a* I, the major allergen of hazel pollen, show different IgE-binding properties
H. Breiteneder, F. Ferreira, K. Hoffmann-Sommergruber, C. Ebner, M. Breitenbach, H. Rumpold. D. Kraft and O. Scheiner 355–362

Are the tryptophanyl-tRNA synthetase and the peptide-chain-release factor from higher eukaryotes one and the same protein?
L. Yu. Frolova, J. Fleckner, J. Justesen, K. M. Timms, W. P. Tate, L. L. Kisselev and A.-L. Haenni 457–466

Complete primary structure of chicken collagen XIV
C. Wälchli, J. Trueb, B. Kessler, K. H. Winterhalter and B. Trueb 483–490

Purification and phosphorylation of elongation factor-2 kinase from rabbit reticulocytes
N. T. Redpath and C. G. Proud 511–520

Effects of anions on the binding of the cAMP receptor protein to the lactose promoter
J. M. Hudson, M. Crowe and M. G. Fried 539–548

Expression and purification of a trefoilpeptide motif in a β-galactosidase fusion protein and its use to search for trefoil-binding sites
R. Chinery, R. Poulsom, G. Elia, A. M. Hanby and N. A. Wright 557–563

Nuclear matrix of the lower eukaryote *Physarum polycephalum* and the mammalian epithelial *LLC-PK*$_1$ cell line – A comprehensive investigation of different preparation procedures
A. Eberharter, A. Grabher, G. Gstraunthaler and P. Loidl 573–580

Regulation of HSP70 gene expression during the life cycle of the parasitic helminth *Schistosoma mansoni*
S. Neumann, E. Ziv, F. Lantner and I. Schechter 589–596

Molecular cloning of a 12-lipoxygenase cDNA from rat brain
T. Watanabe, J. F. Medina, J. Z. Haeggström, O. Rådmark and B. Samuelsson 605–612

Possible intermediates in the biosynthesis of mycoside B by *Mycobacterium microti*
P. F. Thurman, W. Chai, J. R. Rosankiewicz, H. J. Rogers, A. M. Lawson and P. Draper 705–711

Molecular cloning and expression of the gene for serine hydroxymethyltransferase from an obligate methylotroph *Hyphomicrobium methylovorum* GM2
A. Miyata, T. Yoshida, K. Yamaguchi, C. Yokoyama, T. Tanabe, H. Toh, T. Mitsunaga and Y. Izumi 745–750

CCACC-binding or simian-virus-40-protein-1-binding proteins cooperate with human GATA-1 to direct erythroid-specific transcription and to mediate 5′ hypersensitive site 2 sensitivity of a TATA-less promoter
J.-F. Eleouet and P.-H. Roméo 763–770

Human pre-α-trypsin inhibitor-precursor heavy chain – cDNA and deduced amino-acid sequence
J. Bourguignon, M. Diarra-Mehrpour, L. Thiberville, F. Bost, R. Sesboüé and J.-P. Martin 771–776

Protein chemistry and structure

Isolation and identification of *N*-terminally extended forms of 5-oxoprolylglutamylprolinamide (Glp-Glu-Pro-NH_2), a thyrotropin-releasing-hormone(TRH)-like peptide present in human semen
Z. Khan and D. G. Smyth 35–40

Glucose-6-phosphate dehydrogenase – Structure-function relationships and the *Pichia jadinii* enzyme structure
J. Jeffery, B. Persson, I. Wood, T. Bergman, R. Jeffery and H. Jörnvall 41–49

Redox properties and EPR spectroscopy of the P clusters of *Azotobacter vinelandii* MoFe protein
A. J. Pierik, H. Wassink, H. Haaker and W. R. Hagen 51–61

Dissociation of lactate dehydrogenase in aqueous and reversed micellar solutions – A time-resolved polarized fluorescence study
Y. L. Khmelnitsky, A. van Hoek, C. Veeger and A. J. W. G. Visser 63–67

Immunologically unrelated *Heliothis* sp. and *Spodoptera* sp. midgut membrane-proteins bind *Bacillus thuringiensis* CrylA(b) δ-endotoxin
P. Oddou, H. Hartmann, F. Radecke and M. Geiser 145–150

Conformation of deltorphin-II in membrane environment studied by two-dimensional NMR spectroscopy and molecular dynamics calculations
Y. Ohno, M. Segawa, H. Ohishi, M. Doi, K. Kitamura, T. Ishida, M. Inoue and T. Iwashita 185–191

Fructose-1,6-bisphosphatase of the yeast *Kluyveromyces lactis*
I. Zaror, F. Marcus, D. L. Moyer, J. Tung and J. R. Shuster 193–199

A step towards understanding the folding mechanism of horseradish peroxidase – Tryptophan fluorescence and circular dichroism equilibrium studies
H. S. Pappa and A. E. G. Cass 227–235

Cooperative effects on filament stability in actin modified at the C-terminus by substitution or truncation
G. Drewes and H. Faulstich 247–253

Reduction potentials and their pH dependence in site-directed-mutant forms of azurin from *Pseudomonas aeruginosa*
T. Pascher, B. G. Karlsson, M. Nordling, B. G. Malmström and T. Vänngård 289–296

Synthetic immunogens – The effect of the conformational space on biological and immunological responses to dimeric hormone constructs
L. Moroder, H.-J. Musiol, K. Köcher, J. P. Bali, C. H. Schneider, W. Guba, G. Müller, D. F. Mierke and H. Kessler 325–333

N-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl) colcemid, a probe for different classes of colchicine-binding site on tubulin
S. Sengupta, K. D. Puri, A. Surolia, S. Roy and B. Bhattacharyya 387–393

Sequence-specific DNA-triplex formation at imperfect homopurine-homopyrimidine sequences within a DNA plasmid
L. E. Xodo, M. Alunni-Fabbroni, G. Manzini and F. Quadrifoglio 395–401

Production of recombinant notechis 11′2L, an enzymatically active mutant of a phospholipase A_2 from *Notechis scutatus scutatus* venom, as directly generated by cleavage of a fusion protein produced in *Escherichia coli*
D. Hodgson, S. Gasparini, P. Drevet, F. Ducancel, F. Bouet, J.-C. Boulain, J. B. Harris and A. Menez 441–446

Dissecting the contributions of a specific side-chain interaction to folding and catalysis of *Bacillus stearothermophilus* lactate dehydrogenase
D. J. Nicholls, I. S. Wood, T. J. Nobbs, A. R. Clarke, J. J. Holbrook, T. Atkinson and M. D. Scawen 447–455

Cloning and expression of *Saccharomyces cerevisiae* copper-metallothionein gene in *Escherichia coli* and characterization of the recombinant protein
Z. Sayers, P. Brouillon, C. E. Vorgias, H. F. Nolting, C. Hermes and M. H. J. Koch 521–528

Study of the states and populations of the rat pancreatic cholecystokinin receptor using the full peptide antagonist JMV 179
S. Silvente Poirot, C. Hadjiivanova, C. Escrieut, M. Dufresne, J. Martinez, N. Vaysse and D. Fourmy 529–538

The 0.25-nm X-ray structure of the Bowman-Birk-type inhibitor from mung bean in ternary complex with porcine trypsin
G. Lin, W. Bode, R. Huber, C. Chi and R. A. Engh 549–555

Acceleration of bovine neurofilament L assembly by deprivation of acidic tail domain
Y. Nakamura, M. Takeda, S. Aimoto, S. Hariguchi, S. Kitajima and T. Nishimura 565–571

Purification and characterization of the major 50-kDa repressor protein from cytoplasmic mRNP of rabbit reticulocytes
W. B. Minich, I. P. Maidebura and L. P. Ovchinnikov 633–638

Ligand binding to the haem-copper binuclear catalytic site of cytochrome *bo*, a respiratory quinol oxidase from *Escherichia coli*
W. J. Ingledew, J. Horrocks and J. C. Salerno 657–664

The NMR solution structure of a Kunitz-type proteinase inhibitor from the sea anemone *Stichodactyla helianthus*
W. Antuch, K. D. Berndt, M. A. Chávez, J. Delfín and K. Wüthrich 675–684

Horse plasma gelsolin labelled with fluorescein isothiocyanate responds to calcium and actin
E. K. Koepf and L. D. Burtnick 713–718

Interaction of ATP analogs with yeast 3-phosphoglycerate kinase – Affinity labeling of the hinge region
T. Pineda, O.-S. Kwon, E. H. Serpersu and J. E. Churchich 719–726

Purification, characterisation and crystallisation of selenomethionyl recombinant human interleukin-5 from *Escherichia coli*
P. Graber, A. R. Bernard, A. M. Hassell, M. V. Milburn, S. R. Jordan, A. E. I. Proudfoot, D. Fattah and T. N. C. Wells 751–755

Removal of N-terminal formyl groups and deblocking of pyrrolidone carboxylic acid of proteins with anhydrous hydrazine vapor
N. Miyatake, M. Kamo, K. Satake, Y. Uchiyama and A. Tsugita 785–789

The sum of the control coefficients of all enzymes on the flux through a group-transfer pathway can be as high as two
K. van Dam, J. van der Vlag, B. N. Kholodenko and H. V. Westerhoff 791–799

pH-induced structural transitions of bovine serum albumin – Histidine pK_a values and unfolding of the N-terminus during the N to F transition
P. J. Sadler and A. Tucker 811–817

Enzymology

Specificity of *Streptomyces griseus* aminopeptidase and modulation of activity by divalent metal ion binding and substitution
D. Ben-Meir, A. Spungin, R. Ashkenazi and S. Blumberg 107–112

Purification and characterization of recombinant human β1-4 galactosyltransferase expressed in *Saccharomyces cerevisiae*
C. H. Krezdorn, G. Watzele, R. B. Kleene, S. X. Ivanov and E. G. Berger 113–120

Purification and characterization of a coenzyme-A-dependent succinate-semialdehyde dehydrogenase from *Clostridium kluyveri*
B. Söhling and G. Gottschalk 121–127

Effects of subsite alterations on substrate-binding mode in the active site of hen egg-white lysozyme
I. Kumagai, K. Maenaka, F. Sunada, S. Takeda and K.-i. Miura 151–156

H_2-forming N^5, N^{10}-methylenetetrahydromethanopterin dehydrogenase from *Methanobacterium thermoautotrophicum* – Studies of the catalytic mechanism of H_2 formation using hydrogen isotopes
B. Schwörer, V. M. Fernandez, C. Zirngibl and R. K. Thauer 255–261

Specific synthesis of adenosine(5′)tetraphospho(5′)nucleoside and adenosine(5′)-oligophospho(5′)adenosine ($n>4$) catalyzed by firefly luciferase
B. Ortiz, A. Sillero and M. A. Günther Sillero 263–270

Glucose-6-phosphate phosphohydrolase of detergent-treated liver microsomal membranes exhibits a specific kinetic behaviour towards glucose 6-phosphate
A. Ajzannay, C. Minassian, J.-P. Riou and G. Mithieux 335–338

The metal-dependent conformational changes in Factor IX associated with phospholipid binding – Studies using antibodies against a synthetic peptide and chemical modification of Factor IX
H. A. Liebman 339–345

The purification of a cd_1-type nitrite reductase from, and the absence of a copper-type nitrite from, reductase the aerobic denitrifier *Thiosphaera pantotropha*; the role of pseudoazurin as an electron donor
J. W. B. Moir, D. Baratta, D. J. Richardson and S. J. Ferguson 377–385

Purification and some properties of 11-hydroxythromboxane B_2 dehydrogenase from porcine kidney
P. Westlund 403–409

Glycerophosphocholine release in human erythrocytes – ^1H spin-echo and ^{31}P-NMR evidence for lysophospholipase
H. Selle, B. E. Chapman and P. W. Kuchel 411–416

Cloning, sequencing, and expression of *Trypanosoma brucei* dihydrolipoamide dehydrogenase
A. J. Else, D. W. Hough and M. J. Danson 423–429

Purification and characterization of anthranilate synthase from *Catharanthus roseus*
C. Poulsen, R. J. M. Bongaerts and R. Verpoorte 431–440

Purification and characterization of a nitrous oxide reductase from *Thiosphaera pantotropha* – Implications for the mechanism of aerobic nitrous oxide reduction
B. C. Berks, D. Baratta, D. J. Richardson and S. J. Ferguson 467–476

N-Carbamoyl-D-amino acid amidohydrolase from *Comamonas* sp. E222c – Purification and characterization
J. Ogawa, S. Shimizu and H. Yamada 685–691

Chemical and kinetic mechanism of the inositol monophosphatase reaction and its inhibition by Li^+
A. P. Leech, G. R. Baker, J. K. Shute, M. A. Cohen and D. Gani 693–704

Nicotinoprotein [NAD(P)-containing] alcohol/aldehyde oxidoreductases – Purification and characterization of a novel type from *Amycolatopsis methanolica*
P. W. Van Ophem, J. Van Beeumen and J. A. Duine 819–826

Carbohydrates, lipids and other natural products

^{1}H-NMR investigation of oxidized and reduced high-potential iron-sulfur protein from *Rhodopseudomonas globiformis*
I. Bertini, F. Capozzi, C. Luchinat and M. Piccioli 69–78

Electrochemical studies of the hexaheme nitrite reductase from *Desulfovibrio desulfuricans* ATCC 27774
C. Moreno, C. Costa, I. Moura, J. Le Gall, M. Y. Liu, W. J. Payne, C. van Dijk and J. J. G. Moura 79–86

An N-terminal peptide from link protein is rapidly degraded by chondrocytes, monocytes and B cells
H. Martin and M. Dean 87–94

Nigerythrin and rubrerythrin from *Desulfovibrio vulgaris* each contain two mononuclear iron centers and two dinuclear iron clusters
A. J. Pierik, R. B. G. Wolbert, G. L. Portier, M. F. J. M. Verhagen and W. R. Hagen 237–245

Defective biosynthesis of the lipid A component of temperature-sensitive *firA* (*omsA*) mutant of *Escherichia coli*
I. M. Helander, B. Lindner, U. Seydel and M. Vaara 363–369

Selective eicosanoid formation during HL-60 macrophage differentiation – Regulation of thromboxane synthase
R. Nüsing, M. Goerig, A. J. R. Habenicht and V. Ullrich 371–376

Primary structure of N-linked carbohydrate chains of a human chimeric plasminogen activator K_2tu-PA expressed in Chinese hamster ovary cells
A. A. Bergwerff, J. van Oostrum, F. A. M. Asselbergs, R. Bürgi, C. H. Hokke, J. P. Kamerling and J. F. G. Vliegenthart 639–656

Structural studies of the *O*-antigenic polysaccharide of *Fusobacterium necrophorum*
K. Hermansson, M. B. Perry, E. Altman, J.-R. Brisson and M. M. Garcia 801–809

Membranes and bioenergetics

Asymmetry of orientation and voltage gating of the *Acidovorax delafieldii* porin Omp34 in lipid bilayers
M. Brunen and H. Engelhardt 129–135

Carotenoid-binding proteins of photosystem II
R. Bassi, B. Pineau, P. Dainese and J. Marquardt 297–303

Structural fluctuations between two conformational states of a transmembrane helical peptide are related to its channel-forming properties in planar lipid membranes
H. Vogel, L. Nilsson, R. Rigler, S. Meder, G. Boheim, W. Beck, H.-H. Kurth and G. Jung 305–313

In vitro pore-forming activity of the lantibiotic nisin – Role of protonmotive force and lipid composition
M. J. G. Garcerá, M. G. L. Elferink, A. J. M. Driessen and W. N. Konings 417–422

Physico-chemical characterisation of membrane-bound and water-soluble forms of *Bacillus subtilis* cytochrome *c*-550
C. von Wachenfeldt and L. Hederstedt 499–509

Mitochondrial cardiolipin in diverse eukaryotes – Comparison of biosynthetic reactions and molecular acyl species
M. Schlame, S. Brody and K. Y. Hostetler 727–735

Epitope mapping and accessibility of immunodominant regions of yeast plasma membrane H^+-ATPase
R. Serrano, B. C. Monk, J. M. Villalba, C. Montesinos and E. W. Weiler 737–744

Proton slippage in cytochrome *c* oxidase of *Paracoccus denitrificans* – Membrane-potential measurements with the two-subunit and three-subunit enzyme
D. Steverding, D. Köhnke, B. Ludwig and B. Kadenbach 827–831

Molecular cell biology and metabolism

The role of the Crabtree effect and an endogenous fuel in the energy metabolism of resting and proliferating thymocytes
M. Guppy, E. Greiner and K. Brand 95–99

The formation of methylglyoxal from triose phosphates – Investigation using a specific assay for methylglyoxal
S. A. Phillips and P. J. Thornalley 101–105

An allosterically insensitive class of cyclohexadienyl dehydrogenase from *Zymomonas mobilis*
G. Zhao, T. Xia, L. O. Ingram and R. A. Jensen 157–165

Thymidine phosphorylase activity of platelet-derived endothelial cell growth factor is responsible for endothelial cell mitogenicity
C. Finnis, N. Dodsworth, C. E. Pollitt, G. Carr and D. Sleep 201–210

β-Actin mRNA-binding proteins associated with the cytoskeletal framework
K. Sharpless, D. Biegel, T. Yang and J. S. Pachter 217–225

Disruption of *TPS2*, the gene encoding the 100-kDa subunit of the trehalose-6-phosphate synthase/phosphatase complex in *Saccharomyces cerevisiae*, causes accumulation of trehalose-6-phosphate and loss of trehalose-6-phosphate phosphatase activity
C. De Virgilio, N. Bürckert, W. Bell, P. Jenö, T. Boller and A. Wiemken 315–323

Modulation of human prorenin gene expression by antisense oligonucleotides in transfected CHO cells
F. Cumin, F. Asselbergs, M. Lartigot and E. Felder 347–354

Epidermal-growth-factor receptors generate Ras · GTP more efficiently than insulin receptors
A. P. R. M. Osterop, R. H. Medema, G. C. M. v. d. Zon, J. L. Bos, W. Möller and J. A. Maassen 477–482

Tumor necrosis factor cytotoxicity is associated with phospholipase D activation
D. De Valck, R. Beyaert, F. van Roy and W. Fiers 491–497

Identification of insulin-stimulated protein kinase-1 as the rabbit equivalent of rsk^{mo}-2 – Identification of two threonines phosphorylated during activation by mitogen-activated protein kinase
C. Sutherland, D. G. Campbell and P. Cohen 581–588

Characterization of a linear epitope within the human pancreatic 64-kDa glutamic acid decarboxylase and its autoimmune recognition by sera from insulin-dependent diabetes mellitus patients
L. Mauch, C. C. Abney, H. Berg, W. A. Scherbaum, B. Liedvogel and W. Northemann 597–603

Characterization, purification and cDNA cloning of a rat perchloric-acid-soluble 23-kDa protein present only in liver and kidney
F. Levy-Favatier, L. Cuisset, B. Nedelec, L. Tichonicky, J. Kruh and M. Delpech 665–673

Influence of the immunization against heterologous alcohol dehydrogenase on liver alcohol dehydrogenase isozymes and alcohol abuse of rats
A. V. Pshezhetsky, R. A. Danilova, I. M. Fedorova, S. K. Sagimbaeva, S. V. Pervushina, M. A. Obuchova, V. K. Švedas and I. P. Ashmarin 757–761

Sequencing and characterization of the *sdaB* gene from *Escherichia coli* K-12
Z. Q. Shao and E. B. Newman 777–784

Indexed in *Current Contents*